

**Critical Review:  
Beyond Adults with Aphasia – The Effectiveness of Intonation-Based Therapy  
in Pediatric Populations**

Taylor Riemersma  
M.Cl.Sc SLP Candidate

fasciculus) that has shown white matter changes after  
MIT in adults with aphasia (Schlaug, Marchina &





and intelligibility

with Autism. *PLOS ONE*, 11(11), e0164930.  
doi:10.1371/journal.pone.0164930

Helfrich-Miller, K. R. (1994). A clinical perspective: melodic intonation therapy for developmental apraxia. *Clinics in Communication Disorders*, 4(3), 175-182.

Krauss, T., & Galloway, H. (1982). Melodic intonation therapy with language delayed apraxic children. *Journal of Music Therapy*, 19(2), 102-113.  
doi:10.1093/jmt/19.2.102

Lagasse, B. (2012). Evaluation of Melodic Intonation Therapy for Developmental Apraxia of Speech. *Music Therapy Perspectives*, 30(1), 49–55.  
doi:10.1093/mtp/30.1.49

&ila (M&lt;sup>th</sup>ar&lt;sup>th</sup>ok&lt;sup>th</sup>N&lt;sup>th</sup>men), 6(A(P)1,6&lt;sup>th</sup>9K)Opf(B&lt;sup>th</sup>h&lt;sup>th</sup>tip&lt;sup>th</sup>B&lt;sup>th</sup>t06996la&lt;sup>th</sup>&lt;sup>th</sup>6