Conference Program
Day 4: Monday, May 31, 2021

12:00-1:00	Concurrent Session G: Oral Paper Presentations & Symposium III
	G1 – Substance & Cannabis Use (Moderator: Amanda McIntyre)
12:00-12:15	Learning from a Study of Substance Use on an Inpatient Youth Mental He Unit: A Discussion on Measurement Based Care Jillian Halladay, Catharine Munn, Laurie Horricks, James MacKillop, Michael Amlung, Katholiki Georgiades
12:20-12:35	Cannabis for Chronic Pain: A Rapid Systematic Review of Randomized C Trials Riana Longo, Abe Oudshoorn, Deanna Befus
G2	Patient Roles on Primary Care Interprofessional Teams: A Framework
	Kateryna Metersky, Carole Orchard, Christina Hurdon, Dorota Charostecki
12:40-12:55	Why are Patient Teaching Strategies Not Working Effectively? What Need Change? A New Proposed Approach Carole Orchard
	G3 – Promoting Health Equity: Partnerships & Collaboration (Moderator: Marilyn Ford Gilboe)
12:00-12:15	The Nature of Place and Disadvantage in Home Visiting: A Critical Exploration of the Impact of Geography on the Nurse-Family Partnership Program Karen Campbell
12	G2 Amanc

ABSTRACTS

Concurrent Session G: Oral Paper Presentations & Symposium III

G1 – Substance & Cannabis Use

Learning from a Study of Substance Use on an Inpatient Youth Mental Health Unit: A Discussion on Measurement-Based Care

Jillian Halladay, Department of Health Research Methods, Evidence, and Impact, McMaster University, Hamilton, Ontario
Catharine Munn, McMaster University Department of Psychiatry, Hamilton, Ontario
Laurie Horricks, McMaster Children's Hospital, Hamilton, Ontario
James MacKillop, McMaster University Department of Psychiatry, Hamilton, Ontario
Michael Amlung, McMaster University Department of Psychiatry, Hamilton, Ontario
Katholiki Georgiades, McMaster University Department of Psychiatry, Hamilton, Ontario

The CAMP (Cannabis, Alcohol, Mental health, and Patterns of service use) study was a study on an inpatient youth mental health unit in a tertiary care hospital, which assessed cannabis, alcohol and other substance use among youth, and their influence on severity, impairment and complexity of clinical presentation on admission to the hospital for mental health concerns. The study consisted of four parts including: (1) a self-reported electronic clinical assessment of youth substance use and mental health completed during psychiatric hospitalization; (2) a 6-month follow-up assessment; (3) retrospective (3 years) and prospective (6 months) chart reviews; and (4) frontline Nurse and Child and Youth Workers surveys related to perceptions around assessing and addressing substance use on the unit, including importance, facilitators, barriers. The youth sample included 100 youth (average age 15.4, 78% response rate), who were admitted to a youth inpatient psychiatric unit between September and November 2019. The staff sample included 37 (response rate 86%) frontline staff. Overall, the CAMP study provides preliminary evidence for the feasibility and importance of standardized substance use a(fo)2 (ur)1lf0 (ta)14 (nd)10 (a)4/ 4(de)3 (s)l4p(s)6 (ta)4Cu0 hospitalizations and identifies considerations for transitioning standardized assessments fro-4 (e) being research aed to astaff aed. This presen(d)-1 (i)9 (d)-1 (i)scu4ude importance of and next steps for combining research and clinical practice in this clinical area to enable us to bridge current policy and clinical gaps while efficiently addressing and mitigating critical research gaps.

Cannabis for Chronic Pain: A Rapid Systematic Review of Randomized Control Trials

Riana Longo, Arthur Labatt Family School of Nursing, Western University, London, Ontario
Abe Oudshoorn, Arthur Labatt Family School of Nursing, Western University, London, Ontario
Deanna Befus, Arthur Labatt Family School of Nursing, Western University, London, Ontario

Background: The high prevalence of inadequately managed chronic pain indicates the need for alternative and multimodal treatment options. Use of cannabinoids in medicine is becoming a growing area of interest, specifically in the context of chronic pain. The efficacy of cannabinoids for the treatment of chronic pain is not well established.

Aims: The objectives of this rapid systematic literature review are to summarize the efficacy and secondary effects of cannabinoids for chronic pain management.

Design: Rapid systematic review of randomized control trials.

Participants: Individuals with chronic pain (n = 1352).

Methods: Embase, Cochrane, PubMed, and CINAHL databases were searched. Inclusion criteria included cannabis of any formulation used to treat chronic pain of any origin.

Results: Thirteen randomized controlled trials met the inclusion criteria. Five demonstrated moderate analgesic effects of cannabis for chronic pain, and eight concluded there were no significant impacts on pain in the cannabis-treated group versus the control group.

Conclusions: Evidence on the efficacy of cannabinoids for chronic pain shows patient-perceived benefit from cannabinoids

E

Patient Roles on Primary Care Interprofessional Teams: A Framework

Kateryna Metersky,

Why are Patient Teaching Strategies Not Working Effectively? What Needs to Change? A New Proposed Approach

Carole Orchard, Arthur Labatt Family School of Nursing, Western University, London, Ontario

The current focus on patient teaching for quite some time has been assessing the patient's readiness to learn. However this approach was premised on patients changes in practices to regain their health. Today patients are transitioning across health sectors with shortened times for nurses to integrate patient teaching into their care. Many of these patients are then receiving home care funded by the Ontario Ministry of Health. However, in this funding home care nurses are provided with a one hour assessment visit that includes teaching patients and or their informal caregivers to carry out the procedures and treatments following a short demonstration by the nurses uses a readiness to learn approach. In this presentation a new approach to patient teaching that used a patient/informal caregiver partnering model will be presented. This model integrates Meleis' Transition Theory and its situational and deolronntn(t)-4 (s)2slongouswch (l0 TD [(H

G3– Promoting Health Equity: Partnerships & Collaboration

Concurrent Session H: Oral Paper Presentations & Symposium IV/Workshop

H1 – Digital Health: Interventions & Innovations

Caring Near and Far – A Pragmatic Randomized Control Trial (PRCT) of a Remote Monitoring Home Care Innovation: Family Member/Friend Caregiver and Patient Participant Profiles at Baseline

Lorie Donelle[1], Sandra Regan[1]

A Digital Innovation to Screen for Early Cardiac Symptoms with the Prodromal Symptoms Screening Scale (PSSS)

Sheila O'Keefe-McCarthy, Brock University, St. Catharines, Ontario
Lisa Keeping-Burke, University of New Brunswick, Saint John, New Brunswick
Karyn Taplay, Brock University, St. Catharines, Ontario
Ian Chalmers, Pivot Design Group, Toronto, Ontario
Lauren Levy, Pivot Design Group, Toronto, Ontario

Background: WOMEN are not equipped to recognize lethal warning symptoms of obstructive cardiac disease

Should I Stay or Should I Go? Influential Factors on Non-Emergent, Emergency Department Use

Amanda Houston, Arthur Labatt Family School of Nursing, Western University, London, Ontario
Lisa Shepherd, Department of Medicine, Division of Emergency Medicine, Schulich School of Medicine and Dentistry, Western University, London, Ontario
Mickey Kerr, Arthur Labatt Family School of Nursing, Western University, London, Ontario
Richard Booth, Arthur Labatt Family School of Nursing, Western University, London, Ontario

Overcrowding in the emergency department presents a serious and growing problem to the health care system. High volumes of individuals entering the emergency department, with few individuals leaving, results in a build-up of people waiting for care. An impressive published literature base exists on the internal, systematic mechanisms of overcrowding; however, less is known about external factors, specifically the ways in which patients decide to enter the emergency department system. Decision-making as it relates to attending the emergency department has not been fully explored in the literature. The proposed study will explore factors involved in decision-making, as it relates to attending the emergency department, and triage acuity. The study by (as)2.1 (e((as)2 -0.001 Tw p1-3.3)-4 (2 Td [(to)2 (a)14 (tte)13 9.7(a)4 (c)18 T)Tw 9

The Experiences of Caregivers of Community-Dwelling Stroke Survivors in Accessing and Using Formal Health and Social Services

Anna Garnett, Arthur Labatt Family School of Nursing, Western University, London, Ontario
Jenny Ploeg, School of Nursing, McMaster University, Hamilton, Ontario
Maureen Markle-Reid, School of Nursing, McMaster University, Hamilton, Ontario
Pat Strachan, School of Nursing, McMaster University, Hamilton, Ontario

Background. Stroke caregivers are significantly and negatively impacted by caregiving, particularly from a psychosocial perspective. The negative effects of caregiving may persist despite stable stroke survivor health, suggesting the need for focused caregiver supports. However, little is known about caregivers' access to and use of publicly funded health and soci u0 Td (-) Tj 0 (p)6 3 (o)12)10 (a)4 2 0 Ti.9 ((au)-s4 (t)s)6 (.4 (l)4 (th)an

Whose Culture is it Anyway? Disrupting Nursing Education Through Cultural Safety

Kathryn Edmunds, Faculty of Nursing, University of Windsor, Windsor, Ontario

The Canadian Association of Schools of Nursing and the Canadian Nurses Association now recommend tha undergraduate nursing students receive cultural safety education. Yet, despite our attention to culture and good intentions, how “working with culture” is taught, learned, and experienced by students, and ultimately practiced by nurses remains problematic, and there is limited evidence that a cultural safety approach has been implemented in education or practice. The purpose of this presentation is to discuss the opportunities and challenges associated with experiencing and teaching cultural safety for nursing students and faculty. The concept of cultural safety arose in New Zealand, developed by Maori nurses in response to l4 (e)3 s(at)

Sexual Health and Diasporic Experiences of Shadeism

Vasuki Shanmuganathan, York University, Toronto, Ontario
Sinthu Srikanthan, University Health Network, Toronto, Ontario
Abhirami Balanchandran, Alliance for South Asian AIDS Prevention, Toronto, Ontario

H4 – Symposium IV

So you want to use Instruments in your Study? Tips from Experience About Selection, Use of, Either Established or your own Self-Developed Measures

Facilitators:
Carole Orchard, Arthur Labatt Family School of Nursing, Western University, London, Ontario
Dianne Allen, Arthur Labatt Family School of Nursing, Western University, London, Ontario; Conestoga College, Waterloo, Ontario
Sibylle Ugraise, Arthur Labatt Family School of Nursing, Western University, London, Ontario; Nursing Faculty University of Rwanda