

JOB HAZARD ANALYSIS - Task Specific

		× NEW [REVISED
WORKPLACE TASK TO BE ANALYSED	WESTERN HAZARD C	WESTERN HAZARD CATEGORY*	
Moving Equipment through Stairwells	Ergonomic/ WorkSite	Ergonomic/ WorkSite Hazards	
DEPARTMENT	HAZARD TYPE*	HAZARD TYPE*	
CCPS	Weight, repetitive stra	Weight, repetitive strain, struck by moving object	
WESTERN JOB CLASSIFICATION*	LOSS POTENTIAL RA	LOSS POTENTIAL RATING*	
Fire Safety Staff	Moderate		Steve Clemens
REQUIRED EQUIPMENT AND/OR PERSONAL PROTECTIVE EQUIPMENT	*refer to Stantec Spec	ific Job Report	MGMT APPROVAL:
Safety Shoes			
SEQUENCE OF TASK	POTENTIAL HAZARDS	ACTION OR PROCEDURE	
Assess and Prepare Equipment and Materials to be moved	a)safe equipment condition	a)assess and inspect equipments and gloves that allow the chance of pinch or being or doorways or balusters or	a good grip minimizing ng caught in equipment
	b) back injury	b) safely load and transport item to site using various safe lifting procedures, cart, dollies, etc.	
	c) overexertion strain	c) appropriate number of staff to weight of item to be moved	
	d) potential rollover of equipment	d) power equipment lifts, carts, dollies to move items used on level ground, use of straps/chains in association with stair climbing cart (fridge cart) or other device	
	e) potential slippage of machinery	e) use of wheel locks wher replace spraps, chains, or or show signs of wear: Insp	cables that are defective pect all hold downs to

	f) Slip/trip/fall	f) wear gloves and steel toed shoes, avoid being caught in or between pinch and pull points, loose shields or clothing being caught, falling equipment is a concern and caution to be observed as to body position an descape of staff member on downward position on stairs
Assign appropriate number of staff to size and shape of equipment to be moved	staff to work load effort should match furniture size, weights, distance to be moved and number of items to avoid overexertion strain injuries	
Weight restrictions to be observed	over exertion strain injury	